





## **Attestation**

## LEED v4 and v4.1 BETA

## MULTIFIX HSF SEISMIC / Sormat ITH-HY Seismic

supplied by

## **EJOT SE & Co. KG**

The sample of chemical anchor was supplied to Eurofins the 1<sup>st</sup> of February 2023. The sample was tested as being representative of the manufactured product and it has been tested according to the relevant ISO 16000, EN 16516, CDPH 01350 and ASTM D2369 testing standards (See test report no. 392-2023-00043204 H EN and no. 392-2023-00043212 XG EN).

The test results of the tested sample indicate that the product qualifies for LEED v4 and LEED v4.1 BETA (February 2021) projects globally by showing compliance with the specifications for VOC emissions and VOC content by complying with:

VOC emissions specifications in LEED EQ credit "Low-Emitting Materials" for LEED projects globally:

The requirements of LEED v4 and LEED v4.1 BETA (February 2021): CDPH-IAQ (California Department of Public Health (CDPH) Standard Method v1.2-2017); and a TVOC below 0.5 mg/m³ in both office and class room.

VOC content specifications in LEED EQ credit "Low-Emitting Materials" for LEED projects globally:

 The requirements of LEED v4 and LEED v4.1 BETA (February 2021): South Coast Air Quality Management District (SCAQMD) Rule 1168 (2017) for 'Multi-Purpose Construction Adhesives' having a VOC content below 70 g/L.

27 January 2025

Liva Kjær Hansen Analytical Service Manager Rasmus Verdier
Analytical Service Manager

LEED® is the preeminent program for the design, construction, maintenance and operations of high-performance green buildings. USGBC® and the related logo are trademarks owned by the U.S. Green Building Council and are used with permission.